



SEQUENCE LISTING

<110> University of Kentucky Research Organization
Testa, Stephen M.
Bell, Michael A.

<120> TRANS-EXCISION-SPLICING RIBOZYME AND METHODS OF USE

<130> 050229-0418

<140> 10/730,261
<141> 2003-12-09

<150> 60/431,965
<151> 2002-12-10

<160> 21

<170> PatentIn version 3.3

<210> 1
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<220>
<221> misc_feature
<222> (13)..(18)
<223> Represent altered recognition elements as compared to P-8/4x

<400> 1
cacgccgctt tcgggaacct ctatagtgag tcg 33

<210> 2
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<220>
<221> misc_feature
<222> (15)..(21)
<223> Represent altered recognition elements as compared to P-8/4x

<400> 2
cgactcacta tagaggttcc cgaaagcggc gtg 33

<210> 3

<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<220>
<221> misc_feature
<222> (11)..(12)
<223> Represent altered recognition elements as compared to P-8/4x

<400> 3
ggtatagtct tgcctctttc gaaag 25

<210> 4
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<220>
<221> misc_feature
<222> (14)..(15)
<223> Represent altered recognition elements as compared to P-8/4x

<400> 4
ctttcgaaag aggcaagact atacc 25

<210> 5
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<220>
<221> misc_feature
<222> (13)..(15)
<223> Represent altered recognition elements as compared to P-8/4x

<400> 5
cgactcacta taggtgttcc cgaaagcggc 30

<210> 6
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
 <223> Chemically synthesized

<220>
 <221> misc_feature
 <222> (16)..(18)
 <223> Represent altered recognition elements as compared to P-8/4x

<400> 6
 gccgctttcg ggaacaccta tagtgagtcg 30

<210> 7
 <211> 12
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 7
 augacuguc uc 12

<210> 8
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 8
 augacugcuc 10

<210> 9
 <211> 332
 <212> RNA
 <213> Pneumocystis carinii

<400> 9
 gagggucaug aaagcggcgu gaaaacguua gcuagugauc uggaauaaau ucagauugcg 60
 acacugucuaa auugcgggga agcccuaaag auucaacuac uaagcaguuu guggaaacac 120
 agcuguggcc gaguuaauag ccugggguau aguaacaauug uugaauauga aucuuuugcg 180
 agaugaaaug ggugauccgc agccaagucc uaagggcauu uuugucuaug gaugcaguuc 240
 aacgacuaga uggcaguggg uauuguaagg aaugcaguu uucuugcagu gcuaaaggua 300
 uagucuaucc ucuuucgaaa gaaagaguau au 332

<210>	10	
<211>	36	
<212>	RNA	
<213>	Artificial Sequence	
<220>		
<223>	Chemically synthesized	
<400>	10	
	augacucacc uuuuuuuuuu uuugugcucu uaaggu	36
<210>	11	
<211>	11	
<212>	RNA	
<213>	Pneumocystis carinii	
<400>	11	
	gagggucaua u	11
<210>	12	
<211>	38	
<212>	RNA	
<213>	Artificial Sequence	
<220>		
<223>	Chemically synthesized	
<400>	12	
	gggaugcug cugcugcugc ugggggggauc acagacca	38
<210>	13	
<211>	11	
<212>	RNA	
<213>	Pneumocystis carinii	
<400>	13	
	gguguucccu g	11
<210>	14	
<211>	16	
<212>	RNA	
<213>	Artificial Sequence	
<220>		
<223>	Chemically synthesized	
<400>	14	
	augacucucu uaaggu	16
<210>	15	
<211>	6	
<212>	RNA	

<213> Artificial Sequence

<220>

<223> Chemically synthesized

<400> 15

augacu

6

<210> 16

<211> 7

<212> RNA

<213> Artificial Sequence

<220>

<223> Chemically synthesized

<400> 16

gugcucu

7

<210> 17

<211> 10

<212> RNA

<213> Artificial Sequence

<220>

<223> Chemically synthesized

<400> 17

gggaauacca

10

<210> 18

<211> 6

<212> RNA

<213> Artificial Sequence

<220>

<223> Chemically synthesized

<400> 18

gggaau

6

<210> 19

<211> 13

<212> RNA

<213> Artificial Sequence

<220>

<223> Chemically synthesized

<400> 19

cucucuguaa ggu

13

<210> 20
<211> 12
<212> RNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 20
cucucuaag gu

12

<210> 21
<211> 6
<212> RNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 21
cucucu

6